




GHNbasic II 50-70F

979524465

 GHNbasic II / Three speeds circulation pumps with flanges
 Heating/cooling

GENERAL

Part number	979524465		
Part name	GHNbasic II 50-70F		
Seal type			
Net weight	24.30 [kg]		
H max	6.0 [m]	H min	0.0 [m]
Q max	25.0 [m3/h]	Q min	0.0 [m3/h]
	[%]		
Noise	dB(A)		



ELECTRICAL DATA

Power supply	3~400 V
Mains frequency	50 Hz
Motor power	465 [w]
RPM	560 - 1400 [1/min]
Insulation class	200
Declared current	1.13 [A]
Declared protection	IP44
Thermal protection	
Frame size	
Motor IE class	

INSTALLATION

Fluid	Water VDI 2035, glycol 50%
Fluid temperature	-10.0 ÷ 120.0 [°C]
Ambient temp.range	40 deg C
Length	280 [mm]
DN	50 [mm]
Connector	PN 6/10
Connection	PN 6/10
Max pressure	

MATERIAL

Bearing material	Graphite
Impeller material	AISI 304
Hydraulics material	Gray cast iron
Shaft material	AISI 431

GHNbasic II 50-70F

979524465

GHNbasic II / Three speeds circulation pumps with flanges

Heating/cooling






GHNbasic II 50-70F

979524465

GHNbasic II / Three speeds circulation pumps with flanges
 Heating/cooling

Dimension drawing



DN=50 L=280 a=70 l=220 b1=130 b2=123 R=1/4





GHNbasic II 50-70F

979524465

GHNbasic II / Three speeds circulation pumps with flanges
 Heating/cooling

Electrical wiring





GHNbasic II 50-70F

979524465

GHNbasic II / Three speeds circulation pumps with flanges
Heating/cooling